POWERGEN PACIFIC

# **PP30G5-C LPG/NG GENERATORS**



**Generator Output** 

| GENERATOR TYPE   | SINGLE PHASE |
|------------------|--------------|
| FUEL TYPE        | LPG / NG     |
| RATED POWER (kW) | 30           |
| MAX. OUTPUT (kW) | 32           |
| FREQUENCY (HZ)   | 50           |
| POWER FACTOR     | 0.8          |
| CURRENT (A)      | 72 / 130     |
| VOLTAGE (V)      | 230 / 400    |

|            |     | _•  |     |
|------------|-----|-----|-----|
| <b>L</b> 1 | nc  |     | 20  |
|            | 112 | rır | IC. |
| -          |     |     |     |

| ENGINE MODEL                  | KFS30  |
|-------------------------------|--|
| STRUCTURE TYPE                | 4 cylinder / in-lined / water cooled / 4 stroke / Direct – injection |
| BORE x STROKE (mm)            | 65.5 x 72  |
| SPEED (RPM)                   | 3000   |
| COMPRESSION RATIO             | 8.8:1  |
| STARTING                      | 12v Electric System  |
| COOLING                       | Generator (L) 3 / Radiator tank (L) 2.5                              |
| DISPLACEMENT (L)              | 0.97   |
| IGNITION SYSTEM               | Permanent magnet / IGBT Digital frequency                            |
| ENGINE OIL CAPACITY (L)       | 8.5  |
| FUEL PRESSURE (kPa)           | LPG: 1.3 – 2.7 / NG: 1.7 – 2.7                                       |
| FUEL CONSUMPUTION (FULL LOAD) | LPG: 9.3 kg/h / NG: 10 m <sup>3</sup> /h                             |

#### Alternator

TYPE POLE **CONNECTION METHOD INSULATION METHOD** 

2 Pole **Direct Coupling** H Level

Rotating Field / Brushless

### **Overall Specification**

**DIMENSIONS** (mm) WEIGHT (kg) NOISE LEVEL (dBA) **IP RATING** 

L 1580 x W 860 x H 950 560 56 23

## **Dealer Contact**

Data and specifications are subject to change without prior notice. Details in this document are as per the information supplied by the OEM Please contact your local distributor for more information